
Section 1. Identification

.....

Product identifier: Green PVC Pipe

Trade names and Synonyms: N/A

Recommended Uses: Pipes and fittings for water supply, irrigation, sewerage, drainage, industrial process piping Telecommunications and electrical conduit.

Restrictions on Use: None

Company Identification:

Cresline-West Inc. 600 Cross Pointe Blvd. Evansville, IN 47715

Telephone (General): 812-428-9300 **Emergengcy Telephone**: 812-428-9300

Section 2. Hazard Indentification

This product is not classified as hazardous under the U.S. Occupational Safety and Health Administration Hazard Communication Standard (HCS), 29 C.F.R. 1910.1200. PVC pipe, a finished product, is not a hazardous chemical under normal conditions of use and is categorized as an article. While an SDS is not required under the HCS, this document is being provided as a courtesy to our customers.

Section 3. Composition/Information on Ingredients

Composition and Form manufactured rigid solid tubes of various dimensions for plumbing and water distribution as described in Section 1.

Titanium Dioxide CAS: 13463-67-7 Weight: 0-5%

Polyvinyl Chloride CAS: 9002-86-2 Weight: >80%



Crystalline silica CAS 14808-60-7 Weight: < .1%

Hexachlorobenzene CAS: 118-74-1 Weight: < .1%

Section 4. First-Aid Measures

EYE CONTACT: No effects anticipated under normal conditions of use. Particles generated by mechanical cutting, sanding or grinding can cause mechanical irritation. Flush with large amounts of water, occasionally lifting the upper and lower eyelids, to remove particles. Consult a physician if pain or irritation persists.

SKIN CONTACT: No effects anticipated under normal conditions of use. Cool skin rapidly if contacted with molten polymer. Obtain medical attention for thermal burns or skin irritation.

INHALATION: The product is not expected to present an inhalation hazard unless mechanically chipped or pulverized or if melted during fire. If dust or fumes are inhaled, remove to fresh air.

SWALLOWING: No adverse health effects expected from ingestion.

Description of the most important symptoms or effects, and any symptoms that are acute or delayed: none known.

Recommendations for immediate medical care and special treatment needed, when necessary: none known

Section 5. Fire-Fighting Measures

PVC PIPE DOES NOT PRESENT A FIRE OR EXPLOSION HAZARD UNDER NORMAL CONDITIONS OF USE. ALTHOUGH PVC PIPE WILL NOT SUPPORT COMBUSTION, IT WILL BURN, RELEASING HYDROGEN CHLORIDE GAS, DETECTABLE BY ITS PUNGENT ODOR.

SPECIAL FIRE FIGHTING PROCEDURES: Evacuate enclosed areas. Confined areas require self-contained breathing apparatus. Extinguish using dry chemical, carbon dioxide, foam or water fog or spray equipment.



Section 6.	Accidental Release Measures
-	bllect products and bundle or secure safely. If necessary, isolate area to prevent damage to products by vehicles etc. Broken parts may be sharp and eye protection and glove are
	plate area as necessary to prevent further damage. Collect products and bundle or secure roduct and parts may have sharp edges and eye protection and gloves are recommended.
Section 7.	Handling and Storage
nuisance dust par	nt no inhalation, ingestion or contact hazards. Cutting and grinding PVC pipe may release rticles which are non-toxic. Care should be taken to avoid inhaling dust. Use any methods a minimum. General storage procedures are acceptable.
Section 8.	Exposure Controls/Personal Protection
encapsulated with and good occupane Personal Protect mechanically, sat Hands/Feet Safet	rols No exposure controls are necessary as products are inert and all ingredients are hin the polymer matrix and are believed to present no hazard under conditions of normal use tional work practice. tion: Eye Glasses are recommended when handling pipe and especially when working pipes wing etc. ety footwear and gloves. ntrols Appropriate controls for safe working when handling and mechanically working e.g.

Section 9. Physical and Chemical Properties

- Appearance (physical state, color, etc.); Solid green pipe and fittings. Color of pipes varies upon application (e.g. white, gray, blue, yellow, green).
- Upper/lower flammability or explosive limits; Not applicable
- Odor; Not available
- Vapor pressure; Not applicablele
- Odor threshold; Not available
- Vapor density; Not applicable
- pH; Not applicable
- Relative density; Not Applicable
- Melting point/freezing point; Not Applicable
- Solubility(ies); insoluble in water
- Initial boiling point and boiling range; Not applicable
- Flash point; Not applicable
- Evaporation rate; Not applicable
- Flammability (solid, gas); will burn in contact with flame
- Partition coefficient: n-octanol/water; Not applicable
- Auto-ignition temperature; Not available
- Decomposition temperature; Not available
- Viscosity. Not applicable

.....

Section 10. Stability and Reactivity

Reactivity

Stable at normal temperatures and pressures.

Chemical stability

• Stable under normal storage conditions.

Other

- HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride, benzene, carbon monoxide, carbon dioxide, aromatic and aliphatic hydrocarbons, and other gases could be released in fire.
- Incompatible materials: Do not store with oxidising agents.



Section 11. Toxicological Information

No toxicological data were found for this product. The effects reported are those anticipated based on the components of this product.

POTENTIAL ROUTES OF EXPOSURE: Exposure under ordinary use conditions to hazardous chemicals is not anticipated. Inhalation of dust from mechanical cutting, sanding or grinding may occur.

SIGNS, SYMPTOMS, AND TOXIC EFFECTS OF OVEREXPOSURE: Exposure to high concentrations of dust of this product may cause irritation of the respiratory tract with cough, difficulty breathing, dryness of the throat, or eye irritation.

ANIMAL TOXICITY DATA: No data found

REPRODUCTIVE EFFECTS: No data were found regarding reproductive effects in humans or animals of any component of this product.

MUTAGENICITY DATA: No mutagenicity data were found for any component of this product. **DESIGNATION AS POTENTIAL CARCINOGEN:** IARC designates PVC homopolymer as Group 3, "not classifiable as to its carcinogencity in humans," and titanium dioxide as Group 2B, "Possibly carcinogenic to humans"."

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: No data were found regarding this issue. INTERACTIONS WITH CHEMICALS THAT ENHANCE TOXICITY: No data were found regarding this issue.

Section 12. Ecological Information

No Data were found regarding adverse ecological impacts of this product.

Section 13. Disposal Considerations

Recycle where possible. Refer to state/territory environmental protection agency/authority. Normally suitable for disposal as general waste land fill.

Section 14. Transportation Information

Not Regulated.



Section 15. Regulatory Information

This plastic PVC pipe is an article and, therefore, exposure to titanium dioxide, crystalline silica, and hexachlorobenzene are unlikely because the substance is inextricably bound in the plastic matrix. It is unlikely that titanium dioxide, crystalline silica, and hexachlorobenzene will contribute to workplace exposures under normal conditions of use. While there is a possibility that mechanical cutting, sanding or grinding the product copuld produce respirable particles, it is not clear that the titanium dioxide, crystalline silica would be found as unbound particles of respirable size. Users must determine if respirable particles are produced in their operations. If so, then the appropriate Prop 65 warning language is as follows:

California's Proposition 65

WARNING: This product can expose you to chemicals including titanium dioxide, which are known to the State of California to cause cancer, and hexachlorobenzene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Please note that Prop 65 only requires the identification of one chemical per endpoint in the warning.

Section 16. Other Information

8/20/2018